Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty: Docket No. 27866/34810	Serial No. 09/509,165	
INFORMATION DISCLOSURE STATEMENT		Applicant Gray, P.W. et al.		
(Use several sheets		Filing Date June 12, 2000	Group 1648	

(Use several sheets if necessary)



	U.S. PATENT DOCUMENTS						
*Examiner Initials		Document Number	Issue Date	Name	Class	Subclass	Filing Date If Appropriate
BOC	' A1	4,965,392	10/23/90	Fritzberg et al.	558	254	
	A2	5,013,739	05/07/91	Bihari et al.	514	282	
	A3	5,037,630	08/06/91	Fritzberg et al.	424	1.1	
	A4	5,179,078	01/12/93	Rollins et al.	514	2	
	A5	5,241,049	08/31/93	Goodman et al.	530	350	
	A6	5,278,287	01/11/94	Rollins et al.	530	351	
	A7	5,413,778	05/09/95	Kunkel et al.	424	1.41	
	A8	5,459,128	10/17/95	Rollins et al.	514	8	
	A9	5,688,927	11/18/97	Godiska et al.	530	388.23	· · · · · · · · · · · · · · · · · · ·
	A10	5,705,360	01/06/98	Rollins et al.	435	69.1	
	A11	5,932,703	08/03/99	Godiska et al.	530	351	
	A12	6,245,332	06/12/01	Butcher et al.	424	484.1	
	A13	2,625,184	07/24/01	Gray et al.	435	69.1	
	A14	6,268,477	07/31/01	Gray et al.	530	350	
W	A15	6,320,023	11/20/01	Godiska et al.	530	324	

EXAMII	NER
--------	-----

#4. h-2

Dargunt'

DATE CONSIDERED

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 27866/34810	Serial No. 09/509,165
INFORMATION DISCLOSURE	Applicant Gray, P.W. et al.		
(Use several sheets if necessa		Filing Date June 12, 2000	Group 1648

	FOREIGN PATENT DOCUMENTS							
						!	Trans	ation
*Examiner Initials		Document Number	Publication Date	Country	Class	Subclass	Yes	No
BOCI	B1	0 153 678	09/04/85	ЕРО			-	
	B2	0 310 136 A	04/05/89	EPO				
	В3	0 317 053	05/24/89	ЕРО				
	B4	0 462 960	12/27/91	EPO	<u></u>			
	B5	0 647 447	04/12/95	EPO		~		
	В6	0 666 257	08/09/95	EPO .				
	В7	0 725 059	08/07/96	EPO				
	В8	0 860 446	08/26/98	EPO				
	В9	WO 89/01046	02/09/89	PCT				
	B10	WO 91/09955	07/11/91	PCT		,		
	B11	WO 92/20808	11/26/92	PCT				
	B12	WO 94/12650	06/09/94	PCT				
	B13	WO 95/13295	05/18/98	PCT				
	B14	WO 95/17092	06/29/95	PCT				
	B15	WO 96/23068	08/01/97	PCT				
)	B16	WO 96/39521	12/12/96	PCT				
	B17	WO 96/40923	12/19/96	PCT				
)	B18	WO 97/11969	04/03/97	PCT			·	
,	B19	WO 97/29192	08/14/97	PCT				
M.	B20	WO 97/44055	11/27/97	PCT				

EXAMINER BOROGUM' DATE CONSIDERED OF 18 (2003)

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 27866/34810	Serial No. 09/509,165
INFORMATION DISCL	OSLIDE STATEMENT	Applicant Gray, P.W. et al.	
INFORMATION DISCL		Filing Date June 12, 2000	Group 1648

Blue.	B21	WO 97/44462	11/27/97	PCT	_	
	B22	WO 98/11226	03/19/98	PCT	 	
	B23	WO 98/24907	06/11/98	PCT	 ~	
	B24	WO 98/24908	06/11/98	PCT	 	

		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)
Blac.	C1	Aalbers et al., "Dynamics of Eosinophil Infiltration in the Bronchial Mucosa Before and After the Late Asthmatic Reaction," Eur. Respir. J., 6:840 (1993).
	C2	Abi-Younes, S. et al., "The CC Chemokines MDC and TARC Induce Platelet Activation Via CCR4," Thromb. Res. 101(4): 279-89 (2001).
	C3	Adema, G.J. et al., "A Dendritic-cell-derived C-C Chemokine That Preferentially Attracts Naive T Cells," <i>Nature</i> , 387:713-717 (12 June 1997).
	C4	Adams, D.O., "The Granulomatous Inflammatory Response," Am. J. Pathol., 84(1):164-191 (July, 1976).
	C5	Ahuja et al., "Molecular Evolution of the Human Interleukin-8 Receptor Gene Cluster," Nature Genetics, 2:31-36 (September, 1992).
	C6	Amakawa, R. et al., "Impaired Negative Selection of T cells in Hodgekins Disease Antigen CD30-Deficient Mice," Cell 84: 551-62 (1996).
	C7	Aujame, L. et al., "High Affinity Human Antibodies By Phage Display," Human Antibodies, 8(4):155-168 (1997).
	C8	Austrup, F., et al., "P-and E-selectin Mediate Recruitment of T-helper-1 But Not T-helper-2 Cells Into Inflamed Tissues," Nature 385, 81-83 (1997)
	C9	Baba, M. et al., "Identification of CCR6, the Specific Receptor for a Novel Lymphocyte-directed CC Chemokine LARC," J. Biological Chemistry, 272(23):14893-14898 (6 June 1997).
	C10	Bagglioni et al., "CC Chemokines in Allergic Inflammation," <i>Immunol. Today 15:</i> 127 (1994).

EXAMINER	Broguet.	DATE CONSIDERED DE 18 (100)
		the state of the s

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 27866/34810	Serial No. 09/509,165
		Applicant Gray, P.W. et al.	
INFORMATION DISCLOSE (Use several sheets if n	RE STATEMENT (essary)	Filing Date June 12, 2000	Group 1648

		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)
BOCI	C11	Baggiolini et al., "Interleukin-8 and Related Chemotactic Cytokines-CXC and CC Chemokines," Advances in Immunology, 55:97-179 (1994).
1	C12	Baggiolini, M. et al., "HUMAN CHEMOKINES: An Update," Annu. Rev. Immunol., 15:675-705 (1997).
	C13	Baggiolini, M., et al., "Chemokines and Leukocyte Traffic," Nature (London), 392: 565-68 (1998).
	C14	Bai et al., "IL-10 Suppresses Experimental Autoimmune Neuritis and Down-regulates T _H 1-Type Immune Responses," Clin. Immunol. Immunopathol., 83(2):117-126 (1997).
	C15	Barker et al., "Effects of T _H 1 and T _H 2 cytokines on CD8 ⁺ cell response against human immunodeficiency virus: Implications for long-term survival," <i>Proc. Natl. Acad. Sci., USA</i> , 92(24):11135-11139 (1995).
	C16	Baumer et al., "Th1/Th2 Cell Distribution in Pulmonary Sarcoidosis," Am. J. Respir. Cell Mol. Biol., 16(2):171-177 (1997).
	C17	Beck, L. A., et al., "Cutaneous Injection of RANTES Causes Eosinophil Recruitment: Comparison of Nonallergic and Allergic Human Subjects," J. Immunol. 159: 2962.
	C18	Becker <i>et al.</i> , "Constitutive and Stimulated MCP-1, GROα, β, and γ Expression in Human Airway Epithelium and Bronchoalveolar Macrophages," <i>Am. J. Physiol.</i> , 266:L278-L288 (1994).
	C19	Ben-Baruch, A. et al., "Monocyte Chemotactic Protein-3 (MCP3) Interacts with Multiple Leukocyte Receptors," J. Biological Chemistry, 270(38):22123-22128 (22 September 1995).
	C20	Berger et al., "Distinct Antigen-induced Cytokine Pattern Upon Stimulation With Antibody-complexed Antigen Consistent With a Th1→Th2-shift," Res. Virol., 147(2-3):103-108 (1996).
4	C21	Berin, M.C. et al., "Production of MDC/CCL22 by Human Intestinal Epithelial Cells," Am. J. Physiol. Gastrointest. Liver Physiol. 280: G1217-G1226 (2001).

EXAMINER	Dasgurt.	DATE CONSIDERED

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 27866/34810	Serial No. 09/509,165	
DIEGDMATION DISCLOSII	DE STATEMENT	Applicant Gray, P.W. et al.		
(Use several sheets if nec	OSURE STATEMENT	Filing Date June 12, 2000	Group 1648	

			OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)
Blos.		C22	Bertoletti et al., "Different Cytokine Profiles of Intrahepatic T Cells in Chronic Hepatitis B and Hepatitis C Virus Infections," Gastroenterol., 112(1):193-199 (1997).
		C23	Bleul, C.C et al., "The Lymphocyte Chemoattractant SDF-1 Is a Ligand for LESTR/fusin and Blocks HIV-1 Entry," Nature, 382:829-833 (29 August 1996)
		C24	Bochner, B. S., et al., "Adhesion of Human Basophils, Eosinophils, and Neutrophils to IT-1-Activated Human Vascular Endothelial Cells: Contributions of Endothelial Cell Adhesion Molecules," J. Exp. Med. 173: 1553 (1991)
		C25	Bombardier et al., "Derivation of the SLEDAI: a Disease Activity Index for Lupus Patients," Arthritis Rheum, 35:630-40 (1992).
		C26	Bonecchi, R. et al., "Differential Expression of Chemokine Receptors and Chemotactic Responsiveness of Type 1 T Helper Cells (Th1s) and Th2s," J. Exp. Med., 187(1):129-134 (5 January 1998).
		C27	Bowie et al., "Deciphering the Message in Protein Sequences: Tolerance to Amino Acid Substitutions," Science, 247:1306-1310 (1990).
C2		C28	Brown et al., "A Family of Small Inducible Proteins Secreted by Leukocytes are Members of a New Superfamily that Includes Leukocyte and Fibroblast-Derived Inflammatory Agents, Growth Factors, and Indicators of Various Activation Processes," J. Immunol., 142(2):679-687 (January 15, 1989).
		C29	Brown, A.F., "Anaphylactic Shock: Mechanisms and Treatment," J. Accid. Emerg. Med., 12(2):89-100 (1995).
C30		C30	Brüggemann, M. and Neuberger, "Strategies for expressing human antibody repertoires in transgenic mice," <i>Immunol. Today, 17(8)</i> :391-397 (1996).
		C31	Brüggemann, M. and Taussig, "Production of human antibody repertoires in transgenic mice," <i>Current Opinion Biotechnology</i> , 8:455-458 (1997).
\		C32	Carballido, J.M. et al., "The Intensity of T Cell Receptor Engagement Determines the Cytokine Pattern of Human Allergen-specific T Helper Cells," Eur. J. Immunol., 27(2):515-521 (1997).

EXAMINER	Broguet	DATE CONSIDERED	08/18/2013

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

. "	"		L	-	ı.	
-----	---	--	---	---	----	--

SHEET 6 of 30

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 27866/34810	Serial No. 09/509,165	
DIFORMATION DISCLO	SIDE STATEMENT	Applicant Gray, P.W. et al.		
INFORMATION DISCLO	SURE STATEMENT	Filing Date	Group 1649	
(Use several sheets	if necessary)	June 12, 2000	1648	

r		
		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)
Ble	9. C33	Cenci et al., "T Helper Cell Type 1 (Th1)-and Th2-like Responses Are Present in Mice with Gastric Candidiasis but Protective Immunity Is Associated with Th1 Development," J. Infect. Dis., 171(5):1279-1288 (1995).
	C34	Chang et al., "Cloning and expression of a γ-interferon-inducible gene in monocytes: a new member of a cytokine gene family," <i>International Immunology</i> , 1(4):388-397 (1989).
C35		Chang, M-S et al., "Molecular Cloning and Functional Characterization of a Novel CC Chemokine, Stimulated T Cell Chemotactic Protein (STCP-1) That Specifically Acts on Activated T Lymphocytes," J. Biological Chemistry, 272(40):25229-25237 (1 October 1997).
	C36	Chantry, D., et al., "Profile of Human Macrophage Transcripts: Insights into Macrophage Biology and Identification of Novel Chemokines," J. Leuk. Biol., 64(1):49-54 (1998).
	C37	Chantry, D. et al., "Macrophage-derived Chemokine is Localized to Thymic Medullary Epithelial Cells and is a Chemoattractant for CD3(+), CD4(+), CD8(low) Thymocytes, Blood, 94(6): 1890-98 (1999).
	C38	Charo et al., "Molecular Cloning and Functional Expression of Two Monocyte Chemmoattractant Protein 1 Receptors Reveals Alternative Splicing of the Carboxylterminal Tails," Proc. Nat'l. Acad. Sci., USA, 91:2752-2756 (March, 1994).
	C39	Chemokines, In R&D Systems 1995 catalog, R&D Systems, Minneapolis, MN, pp. 79-85.
	C40	Cheung et al., "Modulation of Lymphocyte Motility by Macrophages," Cell. Immunol., 109(2):295-305 (1987).
	C41	Clapham, P.R., "HIV and Chemokines: Ligands Sharing Cell Surface Receptors," Trends in Cell Biol. 7, 264-268 (1997)
V	/ C42	Clark-Lewis et al., "Structure-Activity Relationships of Interleukin-8 Determined Using Chemically Synthesized Analogs," J. Biol. Chem., 266(34):23128-23134 (December 5, 1991).

EXAMINER

Burgunt.

DATE CONSIDERED OF (1)

Of Color Draw line

Atty. Docket No. Serial No. U.S. Department of Commerce Form PTO-1449 (Modified) Patent and Trademark Office 09/509,165 27866/34810 Applicant Gray, P.W. et al. INFORMATION DISCLOSURE STATEMENT Filing Date Group 1648 June 12, 2000

(Use several sheets if necessary)

F							
	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)						
	BU: C43		Co, M.S. et al., "Humanized antibodies for therapy," Nature, 351:501-502 (6 June 1991).				
	C44		Cocchi <i>et al.</i> , "Identification of RANTES, MIP-1α, and MIP-1β as the Major HIV-Suppressive Factors Produced by CD8 ⁺ T Cells," <i>Science</i> , 270:1811-1815 (December 15, 1995).				
		C45	Combadiere et al., "Cloning and Functional Expression of a Human Eosinophil CC Chemokine Receptor," J. Biol. Chem., 270(27):16491-16494 (July 14, 1995).				
		C46	Corrigan et al., "T-cell/eosinophil Interactions in the Induction of Asthma," Eur. Respir. J. Suppl. 22, 72s-78s (1996)				
	C47 C48 C49 C50		Cota, M. et al., "Selective Inhibition of HIV Replication in Primary Macrophages but not T Lymphocytes by Macrophage-derived Chemokine," PNAS, 97(16): 9162-67.(2000)				
			Daikh et al., J. Immunol., "Long-term Inhibition of Murine Lupus By Brief Simultaneous Blockade of the B7/CD28 and CD40/gp39 Costimulation Pathways," 159(7): 3104-08 (1997).				
			Daly et al., "High Activity Suppression of Myeloid Progenitor Proliferation by Chimeric Mutants of Interleukin 8 and Platelet Factor 4," J. Biol. Chem., 270(40):23282-23292 (October 6, 1995).				
			Danoff et al., "Cloning, Genomic Organization, and Chromosomal Localization of the Scya5 Gene Encoding the Murine Chemokine RANTES," J. Immunol., 152:1182-1189 (1994).				
		C51	Daugherty, B.L. et al., "Cloning, Expression, and Characterization of the Human Eosinophil Eotaxin Receptor," J. Exp. Med., 183:2349-2354 (May 1996).				
		C52	Davis, C.B. et al., "Signal Transduction Due to HIV-1 Envelope Interactions with Chemokine Receptors CXCR4 or CCR5," J. Exp. Med., 186:1793-1798 (1997).				
		C53	Dean, M. et al., "Genetic Restriction of HIV-1 Infection and Progression to AIDS by a Deletion Allele of the CKR5 Structural Gene," Science, 273:1856-1862 (27 September 1996).				

EXAMINER	Bargunh.	DATE CONSIDERED A (1201)

1648

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 27866/34810	Serial No. 09/509,165
INFORMATION DISCLOSURE	Applicant Gray, P.W. et al.		
INFORMATION DISCLOSURE	STATEMENT	Filing Date	Group

(Use several sheets if necessary)

June 12, 2000

		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)
Bles C54		Decker et al., "Surgical Stress Induces a Shift in the Type-1/type-2 T-helper Cell Balance, Suggesting Down-regulation of Cell-mediated and Up-regulation of Antibody-mediated Immunity Commensurate to the Trauma," Surgery, 119(3):316-325 (1996).
	C55	Denholm et al., "Secretion of Monocyte Chemotactic Activity by Alveolar Macrophages," Amer. J. Pathol., 135(3):571-580 (September, 1989).
	C56	Denholm and Lewis, "Monocyte Chemoattractants in Pigeon Aortic Atherosclerosis," <i>Amer. J. Pathol.</i> , 126:464-475 (1987).
	C57	Denholm and Phan, "The Effects of Bleomycin on Alveolar Macrophage Growth Factor Secretion," <i>Amer. J. Pathol.</i> , 134(2):355-363 (February, 1989).
C58		Denholm and Stankus, "Differential Effects of Two Fluorescent Probes on Macrophage Migration as Assessed by Manual and Automated Methods," <i>Cytometry</i> , 19:366-369 (1995).
	C59	Denholm and Stankus., "Changes in the Expression of MCP-1 Receptors on Monocyte THP-1 Cells Following Differentiation to Macrophages with Phorbol Myristate Acetate," <i>Cytokine</i> , 7(5):436-440 (July, 1995).
	C60	Denizot et al., "PAF-Acether and Acetylhydrolase in Stool of Patients with Crohn's Disease," Digestive Diseases and Sciences, 37(3):432-437 (1992).
	C61	De Pitá et al., "T-helper 2 Involvement in the Pathogenesis of Bullous Pemphigoid: Role of Soluble CD30 (sCD30)," Arch. Dermatol. Res., 289(12):667-670 (1997).
	C62	Deptia et al., [needs title] Arch. Dermatol Res., 289(12): 667-70 (1997).
C63 Devergne et al., Production of the R. Endothelial Cells in Delayed-Type H. Med., 8:59-62 (1994).		Devergne et al., Production of the Rantes Chemokine by Macrophages and Endothelial Cells in Delayed-Type Hypersensitivity Reactions," Challenges Mod. Med., 8:59-62 (1994).
	C64	Devi et al., "Biologic Activities of the Beta-chemokine TCA3 on Neutrophils and Macrophages," J. Immunol., 154(10):5376-5383 (1995).
V	C65	Dijkstra et al., "Multiple Sclerosis: Some Possible Therapeutic Opportunities," Trends in Pharm. Rev., 14(4):124-128 (1993).

EXAMINER	Bugh.	DATE CONSIDERED	·8/18/2003

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 27866/34810	Serial No. 09/509,165
INFORMATION DISCLOSURE	CTATEMENT	Applicant Gray, P.W. et al.	
(Use several sheets if necessary		Filing Date June 12, 2000	Group 1648

(Use several sheets if necessary)

_						
	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)					
			coll, K.E., "Macrophage Inflammatory Proteins: Biology and Role in conary Inflammation," Exp. Lung Res., 20(6):473-490 (1994).			
	C67		Dunlop et al., "Demonstration of Stem Cell Inhibition and Myeloprotective Effects of SCI/rhMIP1α In Vivo," Blood, 79(9):2221-2225 (May 1, 1992).			
		C68	Ebisawa, M. T., et al., "Eosinophil Transendothelial Migration Induced by Cytokines III. Effect of the Chemokine RANTES," J. Immunol. 153: 2153 (1994).			
		C69	Elghazali et al., "Elevated Plasma Levels of IgE in Plasmodium Falciparum-primed Individuals Reflect an Increased Ratio of IL-4 to Interferon-gamma (IFN-γ)-producing Cells," Clin. Exp. Immunol., 109(1):84-89 (1997).			
		C70	Elstad et al., "Synthesis and Release of Platelet-Activating Factor by Stimulated Human Mononuclear Phagocytes," J. Immunol., 140(5):1618-1624 (March 1, 1988).			
C71 Endres et al., "CD4 Independent Infection by H Fusin/CXCR4," Cell, 87, 745-756 (1996) C72 Falk and Leonard., "Specificity and Reversibility		C71	Endres et al., "CD4 Independent Infection by HIV-2 Is Mediated By Fusin/CXCR4," Cell, 87, 745-756 (1996)			
		C72	Falk and Leonard., "Specificity and Reversibility of Chemotactic Deactivation of Human Monocytes," <i>Infection and Immunity</i> , 32(2):464-468 (May, 1981).			
Signaling Are Independent Functions of the Chemokine		C73	Farzan, M. et al., "HIV-1 Entry and Macrophage Inflammatory Protein-1β-mediated Signaling Are Independent Functions of the Chemokine Receptor CCR5*," J. Biol. Chem., 272:6854-6857 (1997).			
C74 Federsppiel, B. et al., "Molecular Cloning of the cDNA and Chromosomal Localization of the Gene for a Putative Seven-Transmembrane Segment (7-T) Receptor Isolated from Human Spleen," Genomics, 16:707-712 (1993).		Localization of the Gene for a Putative Seven-Transmembrane Segment (7-TMS)				
		C75	Fidel et al., "Vaginal-Associated Immunity in Women with Recurrent Vulvovaginal Candidiasis: Evidence for Vaginal Th1-Type Responses Following Intravaginal Challenge with Candida Antigen," J. Infect. Dis., 176(3):728-739 (1995).			
		C76	Foote et al., "Antibody Framework Residues Affecting the Conformation of the Hypervariable Loops," J. Mol. Biol., 224:487-499 (1992).			

EXAMINER	Durger	DATE CONSIDERED DE GOOD
	7	

SHEET 10 of 30

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Ally. Docket No. 27866/34810	Serial No. 09/509,165
INFORMATION DISCLOSURE STATEM		Applicant Gray, P.W. et al.	
INFORMATION DISCLOSURE		Filing Date June 12, 2000	Group 1648

		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)				
(C77		Forssman et al., "Eotaxin-2, a Novel CC Chemokine that is Selective for the Chemokine Receptor CCR3, and Acts Like Eotaxin on Human Eosinophil and Basophil Leukocytes," J. Exp. Med., 185 2171(1997).				
	C78	Frigas et al., "The Eosinophil and the Pathophysiology of Asthma," J. Allergy Clin. Immunol., 77:527 (1986).				
	C79	Frömmel et al., "An Estimate on the Effect of Point Mutation and Natural Selection on the Rate of Amino Acid Replacement in Proteins," J. Mol. Evol., 21:233-257 (1985).				
	C80	Furukawa et al., "The Mechanism of Rabbit Platelet Aggregation Induced by 2,5-Di-(tert-butyl)-1,4-benzohydroquinone, an Inhibitor of Endoplasmic Reticulum Ca ² -ATPase," Jpn. J. Pharmacol., 75(3):295-298 (1997).				
-	C81	Furakawa, et al., [needs title] Jpn. J. Pharmacol., 75(3):295-298 (1997).				
	C82	Gallatin, W.M. <i>et al.</i> , "A cell-surface molecule involved in organ-specific homing of lymphocytes," <i>Nature</i> , 304:30-34 (1983).				
	C83	Galli, C. et al., "Macrophage-derived Chemokine Production by Activated Human T Cells in Vitro and In Vivo: Preferential Association with the Production of Type 2 Cytokines," Eur. J. Immunol. 30(1): 204-10.(2000).				
	C84	Gallucci et al., "Natural Adjuvants: Endogenous Activators of Dendritic Cells," Nature Medicine, 5(11):1249-1255 (1999).				
	C85	Gao et al., "Structure and Functional Expression of the Human Macrophage Inflammatory Protein 1α/Rantes Receptor," J. Exp. Med., 177:1421-1427 (May, 1993).				
	C86	Garcia-Zepeda et al., "Human Monocyte Chemoattractant Protein (MCP)-4 Is a Novel CC Chemokine With Activities on Monocytes, Eosinophils, and Basophils Induced in Allergic and Nonallergic Inflammation That Signals Through the CC Chemokine Receptors (CCR)-2 and -3," J. Immunol., 157:5613-26 (1996).				

EXAMINER DATE CONSIDERED OSISTANDE	0

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 27866/34810	Serial No. 09/509,165
INFORMATION DISCLOSURE STATEMENT (Use several sheets if necessary)		Applicant Gray, P.W. et al.	
		Filing Date June 12, 2000	Group 1648

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)					
Bloc 1 C87		C87	Garlisi et al., "T Cells Are Necessary For Th ₂ Cytokine Production and Eosinophil Accumulation in Airways of Antigen-Challenged Allergic Mice," Clin. Immunol. Immunopathol., 75:75-83 (1995).			
C88		C88	Genbank D43767, "Molecular Cloning of a Novel T Cell-directed CC Chemokine Expressed in Thymus By Signal Sequence Trap Using Epstein-Barr Virus Vector," deposited by Imai, T et al., dated September 11, 1996.			
·		C89	Genbank X85740, "Molecular Cloning and Functional Expression of a Novel CC Chemokine Receptor cDNA From a Human Basophilic Call Line," deposited by Power, C.A. et al., dated June 4, 1996.			
		C90	GenBank X90862, Molecular Cloning of Murine CC CKR-4 and High Affinity Binding of Chemokines to Murine and Human CC CKR-4 Deposited by Hoogewerf," A. J., dated August 16, 1995.			
		C91	Gerard et al., "Human Chemotaxis Receptor Genes Cluster at 19q13.3-13.4 Characterization of the Human C5a Receptor Gene," Biochemistry, 32:1243-1250 (1993).			
C.		C92	Ghia, P. et al., "Chemoattractants MDC and TARC are Secreted By Malignant B-cell Precursors Following CD40 Ligation and Support the Migration of Leukemia-Specific T Cells," Blood, 98: 533-40 (2001).			
C93		C93	Godiska, R. et al., "Human Macrophage-derived Chemokine (MDC), a Novel Chemoattractant for Monocytes, Monocyte-derived Dendritic Cells, and Natural Killer Cells," J. Exp. Med., 185(9):1595-1604 (5 May 1997).			
		C94	Gray, "Inflammatory Bowel Disease," in Scientific American Medicine, Dale & Federman, (Eds.), New York, Scientific American, Inc., Vol. 1, Chapter 4, Part IV, pp. 10-16 (1991).			
		C95	Greiner et al., "Low-Grade B Cell Lymphomas of Mucosa-Associated Lymphoid Tissue (MALT-Type) Require CD40-Mediated Signaling and Th2-Type Cytokines for in Vitro Growth and Differentiation," Am. J. Pathol., 150(5):1583-1593 (1997).			
Ą		C96	Gruss, H. J. et al., "Pleiotropic Effects of CD30 Ligand on CD30-expressing Cells and Lymphoma Cell Lines," Blood 83: 2045-56 (1994).			

EXAMINER Dong	unt.	DATE CONSIDERED	08/18/2013
*EXAMINER: Initial if reference citation if not in conformance	ence considered, whether or not cital and not considered. Include copy	tion is in conformance with of this form with next comm	MPEP 609; Draw line through nunication to applicant.

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 27866/34810	Serial No. 09/509,165
INFORMATION DISCLOSUR	C CTATEMENT	Applicant Gray, P.W. et al.	
INFORMATION DISCLOSUR	STATEMENT	Filing Date	Group
(I Iso several sheets if necess	arv)	June 12, 2000	1648

		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)
BUC). C97	Handley et al., "Platelet Activating Factor and Inflammation in Atherogenesis: Targets for Drug Development," Drug Dev. Res., 7:361-375 (1986)
\.	C98	Harada et al., "Essential Involvement of Interleukin-8 (IL-8) in acute inflammation," J. Leukocyte Biology, 56:559-564 (November, 1994).
	C99	Hayashi <i>et al.</i> , "Production and Function of Monocyte Chemoattractant Protein-1 and Other β-chemokine in Murine Glial Cells," <i>J. Neuroimmunol.</i> , 60(1-2):143-150 (1995).
	C100	Heath, H. et al., "Chemokine Receptor Usage by Human Eosinophils-the Importance of CCR3 Demonstrated Using An Antagonistic Monoclonal Antibody," J. Clin. Invest. 99: 178.
	C101	Herault et al., "Effect of SR121566A, a Patent GP llb-llla Antagonist on Platelet-mediated Thrombin Generation In Vitro and In Vivo," Thromb. Haemost 79(2):383-388 (1988).
		Hieshima, K. et al., "A Novel Human CC Chemokine PARC That Is Most Homologous to Macrophage-Inflammatory Protein-1α/LD78α and Chemotactic for T Lymphocytes, but Not for Monocytes," J. Immunology, 159:1140-1149 (1997).
	C103	Hoffman et al., "Detection of platelet-activating factor in amniotic fluid of complicated pregnancies," Am. J. Obstet Gynecol., 162(2):525-528 (1990).
	C104	Holmes et al., Structure and Functional Expression of a Human Interleukin-8 Receptor," Science, 253:1278-1280 (September 13, 1991).
C105		Holt, P.G., "Immunoregulation of the allergic reaction in the respiratory tract," Eur. Respir. J. Suppl., 22:85s-89s (1996).
	C106	Hoogenboom, H.R., "Designing and optimizing library selection strategies for generating high-affinity antibodies," <i>TIBTECH</i> , 15:62-70 (1997).
V	C107	Hoogewerf, A.J. et al., "Molecular Cloning of Murine CC CKR-4 and High Affinity Binding of Chemokines to Murine and Human CC CKR-4," Biochem. Biophys. Res. Comm., 218(1):337-343

EXAMINER Bugginh	DATE CONSIDERED	08/18/2003
*EXAMINER: Initial if reference considered, whether or not cital citation if not in conformance and not considered. Include copy	tion is in conformance with of this form with next comm	MPEP 609; Draw line through nunication to applicant.

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atiy. Docket No. 27866/34810	Serial No. 09/509,165
INFORMATION DISCLOSURE STATEMENT		Applicant Gray, P.W. et al.	
		Filing Date June 12, 2000	Group 1648

(Use several sheets if necessary)

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)					
	60e, C108		C108	Horuk et al., "Purification, Receptor, Binding Analysis, and Biological Characterization of Human Melanoma Growth Stimulating Activity (MGSA)," J. Biol. Chem., 268(1):541-546 (January 5, 1993).		
	C109		C109	Howard et al., "Chemokines: Progress Toward Identifying Molecular Targets for Therapeutic Agents," TIBTECH, 14(2):46-51 (1996).		
			C110	Hsieh et al., "Increased Plasma Platelet-activating Factor in Children With Acute Asthmatic Attacks and Decreased in Vivo and in Vitro Production of Platelet-activating Factor After Immunotherapy," J. Allergy Clin. Immunol., 91:650-657 (1993).		
			C111	Hsueh, W. et al., "Platelet-activating Factor, Tumor Necrosis Factor, Hypoxia and Necrotizing Enterocolitis," Acta Pediat. Suppl., 396:11-17 (1994).		
	C112		C112	Huang et al., "Th2 Responses Induce Humorally Mediated Injury in Experimental Anti-Glomerular Basement Membrane Glomerulonephritis," J. Am. Soc. Neprol., 8(7):1101-1108 (1997).		
			C113	Hussell et al., "CD8 ⁺ T Cells Control Th2-driven Pathology During Pulmonary Respiratory Syncytial Virus Infection," Eur. J./ Immunol., 27(12):3341-3349 (1997).		
			C114	Imai, T. et al., "Molecular Cloning of a Novel T Cell-directed CC Chemokine Expressed in Thymus by Signal Sequence Trap Using Epstein-Barr Virus Vector," Journal of Biological Chemistry, 271 (35):21514-21521 (30 August 1996).		
	C115		C115	Imai, T. et al., "The T Cell-directed CC Chemokine TARC Is a Highly Specific Biological Ligand for CC Chemokine Receptor 4," Journal of Biological Chemistry, 272(23):15036-15036 (6 June 1997).		
Receptor CX ₃ CR1, which Mediates Both Leukocyte 91:521-530 (14 November 1997). C117 Imai, T. et al., "Macrophage-derived Chemokine (November 1997).		C116	Imai, T. et al., "Identification and Molecular Characterization of Fractalkine Receptor CX ₃ CR1, which Mediates Both Leukocyte Migration and Adhesion," Cell, 91:521-530 (14 November 1997).			
		C117	Imai, T. et al., "Macrophage-derived Chemokine (MDC) is a Functional Ligand for the CC Chemokine Receptor CCR4," J. Biological Chemistry, 273(3):1764-68 (1998).			

EXAMINER Bugunti	DATE CONSIDERED OF (1208)
*EXAMINER: Initial if reference considered, whether or not cital citation if not in conformance and not considered. Include copy	of this form with next communication to applicant.

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 27866/34810	Serial No. 09/509,165	
INFORMATION DISCLOSURE	CT A TEMENT	Applicant Gray, P.W. et al.		
(Use several sheets if necessar		Filing Date June 12, 2000	Group 1648	

		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)							
BUC:		C118	Imai, T. et al., "Selective Recruitment of CCR4-bearing Th2 Cells Toward Antigen-Presenting Cells by the CC Chemokines Thymus and Activation-regulated Chemokine and Macrophage-derived Chemokine," Int. Immunol. 11(1): 81-88 (1999).						
			C119	Inngjerdigen, M. et al., "Human NK Cells Express CC Chemokine Receptors 4 and 8 and Respond to Thymus and Activation-regulated Chemokine, Macrophage-derived Chemokine and I-309," J. Immunol. 164(8): 4048-54 (2000).					
			C120	"In Vitro Assays of Lymphocyte Functions," in Current Protocols Immunology, Sections 3-4, Wiley and Sons (1992).					
			. C121	Jason et al., "Evidence for a Shift from a Type I Lymphocyte Pattern with HIV Disease Progression," J. Acquir. Immune Defic. Syndrome Retrovirol., 10(4):471-476 (1995).					
	C122			Jeske et al., "Effect of Glycoprotein Iib/IIIa Antagonists on the HIT Serum Induced Activation of Platelets," Thromb. Res., 88(3):271-281 (1997).					
	. C123		C123	Johansen et al., "Vaccination Promotes TH1-like Inflammation and Survival in Chronic Pseudomonas aeruginosa Pneumonia. A New Prophylactic Principle," Behring Inst. Mitt., 98:269-273 (1997).					
			C124	Jones, P.T. et al., "Replacing the Complementarity-determining Regions in a Human Antibody With Those From a Mouse," <i>Nature</i> , 321:522-525 (1986).					
			C125	Kald et al., "Release of Platelet-Activating Factor in Acute Experimental Pancreatitis," Pancreas, 8(4):440-442 (1993).					
	C120		C126	Kanazawa, N., et al., "Fractalkine and Macrophage-derived Chemokine: T Cell-Attracting Chemokines Expressed in T Cell Area Dendritic Cells," Eur. J. Immunol. 29(6): 1925-32 (1999).					
			C127	Karban et al., "TH1/TH2 Cytokine Profile In Celiac Disease," Isr. J. Med. Sci., 33(3):209-214 (1997).					
	V		C128	Katou, F. et al., "Macrophage-derived Chemokine (MDC/CCL22(and CCR4 are involved in the formation of T lymphocte-dendritic cell clusters in Human Inflamed Skin and Secondary Lymphoid Tissue," Am. J. Pathol. 158(4): 1243-70 (2001).					

EXAMINER Sugar,	DATE CONSIDERED 8/11/2013
*EXAMINER: Initial if reference considered, whether or not cital citation if not in conformance and not considered. Include copy	tion is in conformance with MPEP 609; Draw line through of this form with next communication to applicant.

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Ally. Docket No. 27866/34810	Serial No. 09/509,165
INFORMATION DISCLOSU	Applicant Gray, P.W. et al.		
	Filing Date June 12, 2000	Group 1648	
(Use several sheets if neo	cessary)	Julie 12, 2000	1040

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)						
	pol	C129 Kelly, M.D. et al., "Cutting Edge: Dichotomous Effects of β-Chemokines on I Replication in Monocytes and Monocyte-Derived Macrophages," J. Immunol., 160:3091-3095 (1998).					
		C130	Kelner, G.S. et al., "Lymphotactin: A Cytokine That Represents a New Class of Chemokine," Science, 266:1395-1399 (25 November 1994).				
		C131	Kelvin et al., "Chemokines and Serpentines: The Molecular Biology of Chemokine Receptors," J. Leukocyte Biology, 54:604-612 (December, 1993).				
		C132	Kenney et al., "Splenic Cytokine Responses in Indian Kala-Azar Before and After Treatment," J. Infect. Dis., 177:815-819 (1998).				
	C13		Kettleborough et al., "Humanization of a Mouse Monoclonal Antibody by CDR-grafting: The Importance of Framework Residues on Loop Conformation," Protein Engin., 4:773-783 (1991).				
		C134	Khar et al., "AK-5 Tumor-induced Modulation of Host Immune Function: Upregulation of Th-1-type Cytokine Response Mediates Early Tumor Regression," Cytokines Mol. Ther., 2(1):39-46 (1996).				
		C135	Kikuchi, T. And Crystal, R. G., "Antigen-pulsed Dendritic Cells Expressing Macrophage-derived Chemokine Elicit Th2 Responses and Promote Specific Humoral Immunity," J. Clin. Invest., 108: 917-27 (2001).				
	C136		Kitching et al., "Interleukin-4 Deficiency Enhances Th1 Responses and Crescentic Glomerulonephritis in Mice," Kidney Int., 53(1):112-118 (1998).				
		C137	Klein, L. et al., "CD4 T Cell Tolerance to Human C-reactive Protein, an Inducible Serum Protein, is Mediated by Medullary Thymic Epithelium," J. Exp. Med. 188(1): 5-16 (1998).				
C138 Kowalska, M.A. et al., "Stromal Cell-derived factor Chemokine: 2 Chemokines that Activate Platelets,"		C138	Kowalska, M.A. et al., "Stromal Cell-derived factor-1 and Macrophage-derived Chemokine: 2 Chemokines that Activate Platelets," Blood, 96(1): 50-57. (2000)				
		C139	Krishnan et al., "T Helper 1 Response Against Leishmania major in Pregnant C57BL/6 Mice Increases Implantation Failure and Fetal Resorptions," J. Immunol., 156(2):653-662 (1996).				

EXAMINER Newgunh,	DATE CONSIDERED US (18/10/3)
*EXAMINER: Initial if reference considered, whether or not cital citation if not in conformance and not considered. Include copy	ion is in conformance with MPEP 609; Draw line through of this form with next communication to applicant.

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 27866/34810	Serial No. 09/509,165
INFORMATION DISCLOSURE	CT A TEMENT	Applicant Gray, P.W. et al.	
INFORMATION DISCLOSURE (Use several sheets if necessar	STATEMENT	Filing Date June 12, 2000	Group 1648

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)					
Boe.	C140	Kuby J., (Ed.), <i>Immunology</i> , W.H. Freeman and Co., New York, New York, pp. 304-306, 420-425, 488-490, 495-497, and 499-500 (1992).				
	C141	Kuna et al., "RANTES, a Monocyte and T Lymphocyte Chemotactic Cytokine Releases Histamine from Human Basophils," <i>J. Immunology</i> , 149(2):636-642 (July 15, 1992).				
	C142	Kunkel et al., "Th1 and Th2 Responses Regulate Experimental Lung Granuloma Development," Sarcoidosis Vasc. Diffuse Lung Dis., 13:120-128 (1996).				
	C143	Laning et al., "Inhibition of In Vivo Tumor Growth by the β Chemokine, TCA3," J. Immunology, 153:4625-4635 (1994).				
	C144	Li et al., "In Vivo Alterations in Cytokine Production following Interleukin-12 (IL-12) and Anti-IL-4 Antibody Treatment of CB6F1 Mice with Chronic Cutaneous Leishmaniasis," <i>Infect. Immunol.</i> , 64:5248-5254 (1996).				
·	C145	Liang et al., "Measurement of Systemic Lupus Erythematosus Activity in Clinical Research," Arthritis Rheum., 31: 817-825 (1988).				
	C146	Linder, M.E. et al., "G Proteins," Scientific American, 267:56-65 (July 1992).				
	C147	Lindsberg <i>et al.</i> , "Platelet-activating Factor in Stroke and Brain Injury," <i>Stroke</i> , 21:1452-1457 (1990).				
	C148	Lindsberg et al., "Evidence for Platelet-Activating Factor as a Novel Mediator in Experimental Stroke in Rabbits," Ann. Neurol., 30(2):117-129 (1991).				
	C149	Lloyd, C. M. et al. "CC Chemokine Receptor (CCR)3/Eotaxin Is Followed By CCR4/Monocyte-derived Chemokine in Mediating Pulmonary T Helper Lymphocyte Type 2 Recruitment After Serial Antigen Challenge In Vivo," J. Exp. Med. 191(2): 265-73 (2000).				
	C150	Luo et al., Biologic Activities of the Murine β-Chemokine TCA3," J. Immunology, 153:4616-4624 (1994).				
V	C151	Luster, A.D. et al., "The IP-10 Chemokine Binds to a Specific Cell Surface Heparan Sulfate Site Shared with Platelet Factor 4 and Inhibits Endothelial Cell Proliferation," J. Exp. Med., 182:219-231 (July 1995).				

EXAMINER	Durg	mp.	 DATE CONSIDERED	08/18/2003
	V			MDED 600. December the shorest

Form PTO-1449 (Modified)	Atty. Docket No. 27866/34810	Serial No. 09/509,165
INFORMATION DISCLOSURE	Applicant Gray, P.W. et al.	
(Use several sheets if necessar	Filing Date June 12, 2000	Group 1648

,				
				OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)
	BO	ROC.		MacGlashan, D.W., Jr., and Guo, CB., "Oscillations in Free Cytosolic Calcium During IgE-mediated Stimulation Distinguish Human Basophils from Human Mast Cells," J. Immunol. 147: 2259 (1991).
			C153	Maggi E. et al., "Ability of HIV to Promote a T _H 1 to T _H 0 Shift and to Replicate Preferentially in T _H 2 and T _H 0 Cells," Science, 265:244-248 (1994).
			C154	Maggi et al., CD8+ T Lymphocytes Producing Th2-type Cytokines (Tc2) in HIV-infected Individuals," J. Biol. Regul. Homeost. Agents, 9(3):78-81 (1995).
C155		C155	Major et al., "Oxidized LDL Selectively Potentiates LPS-Induced Chemokine mRNA Expression in Murine Peritoneal Macrophages," Thirty-first National Meeting of the Society for Leukocyte Biology on Host Defense Against Infections and Cancer, Marco Island, Florida, USA, September 13-16, 1995. Journal of Leukocyte Biology, O(Supplement):14 (1995) (ABSTRACT 47).	
			C156	Malden et al., "The Influence of Oxidatively Modified Low Density Lipoproteins on Expression of Platelet-derived Growth Factor by Human Monocyte-derived Macrophages," J. Biol. Chem., 266(21):13901-13907 (July 25, 1991).
C157 Mantovani, A. e		C157	Mantovani, A. et al., "Macrophage-derived Chemokine (MDC)," J. Leukoc. Biol. 68(3): 400-4 (2000).	
			C158	Matsukawa, A. et al., "Pivotal Role of the CC Chemokine, Macrophage-Derived Chemokine, in the Innate Immune Response, J. Immunol., 164(10):5362-8 (2000).
			C159	Matsumoto et al., "Platelet-Activating Factor in Broncholaveolar Lavage Fluid of Patients with Adult Respiratory Distress Syndrome," Clin. Exp. Pharmocol. Physiol., 19:509-515 (1992).
			C160	Matsumoto, K. et al., "Induction of Apoptosis in Human Eosinophils by Anti-fas Antibody Treatment in Vitro," Blood, 86: 1437 (1995).
	1	\	C161	Matsushima <i>et al.</i> , "Purification and Characterization of a Novel Monocyte Chemotactic and Activating Factor Produced by a Human Myelomonocytic Cell Line," <i>J. Exp. Med.</i> , 169:1485-1490 (April, 1989).

EXAMINER Brogram

DATE CONSIDERED 0818 JUNS

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Ally. Docket No. 27866/34810	Serial No. 09/509,165
INFORMATION DISCLOSURE	Applicant Gray, P.W. et al.		
(Use several sheets if necessar	Filing Date June 12, 2000	Group 1648	

الہ				OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)	
-	RU	RUL' C162		Matsuzaki et al., "PAF Acetylhydrolase Activities in Human Systemic Lupus Erythematosus and Lupus-prone Mice," Clinica Chimica Acta, 210:139-144 (1992).	
			C163	Maze et al., "Myelosuppressive Effects in Vivo of Purified Recombinant Murine Macrophage Inflammatory Protein-1α," J. Immunol., 149(3):1004-1009 (August 1, 1992).	
			C164	McColl, S., et al. "Uncoupling of Early Signal Transduction Events From Effector Function in Human Peripheral Blood Neutrophils in Response to Recombinant Macrophage Inflammatory Proteins-1 Alpha and -1 Beta," J. Immunol. 150: 4550 (1993).	
C165 McCune et al., "The SCID-hu Mouse: Antiviral Testing," in Progress in Imm		C165	McCune et al., "The SCID-hu Mouse: A Small Animal Model for HIV Infection and Antiviral Testing," in <i>Progress in Immunol.</i> , Vol.VII, Melchers et al.(Eds.), Springer-Verlag Berlin-Heidelberg, pp. 1046-1049 (1989).		
	C166		C166	McCune et al., "The Hematophtology of HIV-1 Disease: Experimental Analysis In Vivo," in Human Hematopoiesis in SCID Mice, M Roncarlo et al., (Eds.), Landes Publishing Co., New York New York, pp. 129-156 (1995).	
C167 Meurer et al. "Formation of Eosinophilic and Monocytic Intraderma Sites in the Dog by Injection of Human RANTES but not Human McChemottractant Protein 1, Human Macrophage Inflammatory Protein		Meurer et al. "Formation of Eosinophilic and Monocytic Intradermal Inflammatory Sites in the Dog by Injection of Human RANTES but not Human Monocyte Chemottractant Protein 1, Human Macrophage Inflammatory Protein 1α, or Human Interleukin 8," J. Exp. Med., 178: 1913-1921 (December, 1993)			
			C168	Mezzano et al., "Detection of Platelet-Activating Factor in Plasma of Patients with Streptococcal Nephritis ¹ ," J. Am. Soc. Nephrol., 4:235-242 (1993).	
			C169	Middleton, J. et al., "Transcytosis and Surface Presentation of IL-8 by Venular Endothelial Cells," Cell: 385-95 (1997).	
			C170	Miller et al., "A Novel Polypeptide Secreted by Activated Human T Lymphocytes," J. Immunology, 143(9):2907-2916 (November 1, 1989).	
	•	Ψ	C171	Miossec, P., "Th1Th2 Cytokine Balance in Arthritis," Arthritis Rheum, 40(12):2105-2115 (1997).	

EXAMINER Duogum,	DATE CONSIDERED OF 18 100 3
*EXAMINER: Initial if reference considered, whether or not cital	tion is in conformance with MPEP 609; Draw line through of this form with next communication to applicant.

INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

U.S. Department of Commerce Patent and Trademark Office

U.S. Department of Commerce 27866/34810

Atty. Docket No. 27866/34810

Serial No. 09/509,165

Applicant Gray, P.W. et al.

Filing Date June 12, 2000

Interval 12, 2000

		OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)
BBC.	C172	Moore, J.P., "Coreceptors: Implications for HIV Pathogenesis and Therapy," Science, 276:51-52 (4 April 1997).
	C173	Morrison and Oi, "Genetically Engineered Antibody Molecules," Adv. Immunol., 44:65-92 (1989).
	C174	Moser et al., "Chronic Pseudomonas aeruginosa lung infection is more severe in Th ₂ responding BALB/c mice compared to Th ₁ responding C3H/HeN mice," APMIS, 105(11):838-842 (1997).
	C175	Mosmann et al., "The Expanding Universe of T-cell Subsets: Th1, Th2 and More," Immunol. Today, 17:138-146 (1996).
	C176	Müller, F. et al., "Enhanced Interleukin-10 Production in Response to Mycobacterium avium Productsin Mononuclear Cells from Patients with Human Immunodeficiency Virus Infection," <i>Journal Infectious Diseases</i> , 177:586-594 (1998).
	C177	Murphy et al., "Cloning of Complimentary DNA Encoding a Functional Human Interleukin-8 Receptor," Science, 253:1280-1283 (September 13, 1991).
	C178	Murphy, P.M., "Chemokine Receptors: Structure, Function and Role in Microbial Pathogenesis," Cytokine Growth Factor Rev., 7: 47 (1996).
C179 Na		Nagira et al., "Molecular Cloning of a Novel Human CC Chemokine Secondary Lymphoid-Tissue Chemokine That Is a Potent Chemoattractant for Lymphocytes and Mapped to Chromosome 9p13*," J. Biol. Chem., 272:19518-19524 (1997).
	C180	Nakamura T. et al., "Roles of IL-4 and IFN-γ in Stabilizing the T Helper Cell Type 1 and 2 Phenotype," J. Immunol., 158(6):2648-2653 (1997).
V	C181	Nakao et al., "Structures of Human Genes Coding for Cytokine LD78 and Their Expression," Mol. Cell. Biol., 10(7):3646-3658 (July, 1990).

EXAMINER DATE CONSIDERED , SIGNOS

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. Serial No. 09/509,165		
DISCOUNT DISCUOSIDE		Applicant Gray, P.W. et al.		
INFORMATION DISCLOSURE	Filing Date June 12, 2000	Group 1648		

			OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)
BOC;		C182	Nakogawa et al., "Cytokine-Induced Neutrophil Chemoattractant (CINC)-2 α, a Novel Member of Rat G RO/CINCs, Is a Predominant Chemokine Produced by Lipopolysaccharide-Stimulated Rat Macrophages in Culture," Biochem. Biophys. Res. Commun., 220(3):945-948 (1996).
		C183	Napolitano, M. et al., "Molecular Cloning of TER1, a Chemokine Receptor-Like Gene Expressed by Lymphoid Tissues," Journal of Immunology, 157:2759-2763 (1996).
		C184	Neote et al., Molecular Cloning, Functional Expression, and Signaling Characteristics of a C-C Chemokine Receptor," Cell, 72:415-425 (February 12, 1993).
		C185	Ngo et al., "Computational Complexity, Protein Structure Prediction, and the Levinthal Paradox," <i>The Protein Folding Problem and Tertiary Structure Prediction</i> , K. Merz, Jr. and S. Le Grand, Editors, Birkhäuser Boston, pp. 433 and 492-495 (1994).
		C186	Nomiyama, H. et al., "Assignment of the Human CC Chemokine Gene TARC (SCYA17) to Chromosome 16q13," Genomics, 40:211-213 (1997).
		C187	Nomura, H. et al. "Molecular cloning of cDNAs encoding a LD78 receptor and putative leukocyte chemotactic peptide receptors," <i>International Immunology</i> , 5(10):1239-1249 (1993).
		C188	Oberlin E. et al., "The CXC chemokine SDF-1 is the ligand for LESTR/fusin and prevents infection by T-cell-line-adapted HIV-1," <i>Nature</i> , 382:833-835 (29 August 1996).
		C189	Oravecz et al., "Regulation of the Receptor Specificity and Function of the Chemokine RANTES (Regulated on Activation, Normal T Cell Expressed and Secreted) by Dipeptidyl Peptidase IV (CD26)-mediated Cleavage," J. Exp. Med., 186:1865-1872 (1997).

EXAMINER

Duogunh.

DATE CONSIDERED

08/18/2003

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 27866/34810	Serial No. 09/509,165
INFORMATION DISCLOSURE	Applicant Gray, P.W. et al.		
(Use several sheets if necessor	·	Filing Date June 12, 2000	Group 1648

				OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)		
	BUC;		C190	Padlan, E.A., "A Possible Procedure for Reducing the Immunogenicity of Antibody Variable Domains While Preserving Their Ligand-binding Properties," <i>Molecular Immunology</i> , 28(4/5):489-498 (1991).		
			C191	Paganelli et al., "Th2-type Cytokines, Hypereosinophilia, and Interleukin-5 in HIV Disease," Allergy, 52(1):110-111 (1997).		
			C192	Pal, R. et al., "Inhibition of HIV-1 Infection by the β-Chemokine MDC," Science, 278:695-698 (24 October 1997).		
			C193	Panina-Bordignon, P. et al., "The C-C Chemokine Receptors CCR4 and CCR8 Identify Airway T Cells of Allergen-Challenged Atopic Asthmatics," J. Clin. Invest. 107(11): 1357-64 (2001).		
			C194	Pellegrini et al., "Disregulation in TH1 and TH2 Subsets of CD4+ T Cells in Peripheral Blood of Colorectal Cancer Patients and Onvolvement in Cancer Establishment and Progression," Cancer Immunol., Immunother., 42(1):1-8 (1996).		
			C195	Peri et al., "A new monoclonal antibody (5D3-F7) which recognizes human monocyte-chemotactic protein-1 but not related chemokines. Development of a sandwich ELISA and in situ detection of producing cells," <i>J. Immunological Methods</i> , 174:249-257 (1994).		
			C196	Perussia et al., "Terminal Differentiation Surface Antigens of Myelomonocytic Cells are Expressed in Human Promyelocytic Leukemia Cells (HL60) treated with Chemical Inducers," Blood, 58(4):836-843 (October, 1981).		
			C197	Pettoello-Mantovani et al., "thy/liv-SCID-hu Mice: A System for Investigating the In Vivo Effects of Multidrug therapy on Plasma Viremia and Human Immunodeficiency Virus Replication in Lymphoid Tissues," J. Infect. Diseases, 177: 337 (1998)		
			C198	Phan et al., "Fibrotic Mechanisms in Lung Disease," in Immunology of Inflammation, Chapter 4, Elsiever, pp. 121-162 (1983)		
C199 Phan and Fantome, "Inhibition of Bl		C199	Phan and Fantome, "Inhibition of Bleomycin-induced Pulmonary Fibrosis By Lipopolysaccharide," <i>Lab. Invest.</i> , 50(5): 587-591 (May, 1984)			

EXAMINER	Bugumh.	DATE CONSIDERED ON 18 2003
*EXAMINER: citation if not i	Initial if reference considered, whether a conformance and not considered. Incl	or not citation is in conformance with MPEP 609; Draw line through lude copy of this form with next communication to applicant.

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 27866/34810	Serial No. 09/509,165
		Applicant Gray, P.W. et al.	
INFORMATION DISCLOSURE		Filing Date June 12, 2000	Group 1648

			OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)
Bul'		C200	Picker et al., "Physiological and Molecular Mechanisms of Lymphocyte Homing," Annu. Rev. Immunol., 10:561-591 (1992).
!		C201	Ponath et al., "Cloning of the Human Eosinophil Chemoattractant, Eotaxin-Expression, Receptor Binding, and Functional Properties Suggest a Mechanism for the Selective Recruitment of Eosinophils," J. Clin. Invest., 97:604-612 (1996).
		C202	Ponath et al., "Molecular Cloning and Characterization of a Human Eotaxin Receptor Expressed Selectively on Eosinophils," J. Exp. Med. 183: 2437 (1996).
C203 Ponath, P.D. et al., "Molecular Clonin Receptor Expressed Selectively on Eosi		C203	Ponath, P.D. et al., "Molecular Cloning and Characterization of a Human Eotaxin Receptor Expressed Selectively on Eosinophils," J. Exp. Med., 183:2437-2448 (June 1996).
C		C204	Pope et al., "Resistance of Naive Mice to Murine Hepatitis Virus Strain 3 Requires Development of a Th1, but not a Th2, Response, Whereas Pre-Existing Antibody Partially Protects Against Primary Infection ¹ ," J. Immunol., 156(9):3342-3349 (1996).
C205 Power et al., "Molecular Cloning and Functional Expression Chemokine Receptor cDNA from a Human Basophil Cell Li		Power et al., "Molecular Cloning and Functional Expression of a Novel CC Chemokine Receptor cDNA from a Human Basophil Cell Line," J. Biol. Chem., 270(33):19495-19500 (August 18, 1995).	
C206 Price et al., "Expression, Purification, Character Granulocyte-macrophage Colony-stimulating Yeast," Gene, 55:287-293 (1987).		C206	Price et al., "Expression, Purification, Characterization, of Recombinant Murine Granulocyte-macrophage Colony-stimulating Factor and Bovine Interleukin-2 From Yeast," Gene, 55:287-293 (1987).
		C207	Proost et al., "Amino-terminal Truncation of Chemokines by CD26/Dipeptidyl-peptidase IV," J. Biol. Chem., 273(13):7222-7227 (1998).
,		C208	Proost et al., "Truncation of Macrophage-Derived Chemokine by CD26/Dipeptidy-Peptidase IV Beyond Its Predicted Cleavage Site Affects Chemotactic Activity and CC Chemokine Receptor 4 Interaction," J. Biol. Chem., 274(7): 3988-93 (1999).

EXAMINER	Bugunt.	DATE CONSIDERED	08/18/2013

Form PTO-1449 (Modified)	Atty. Docket No. Serial No. 27866/34810 09/509,165	
INFORMATION DISCLOSURE	Applicant Gray, P.W. et al.	
(Use several sheets if necessar	Filing Date June 12, 2000	Group 1648

_						
Ţ	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)					
Proudfoot et al., "Extension of Recombinant Human RANT the Initiating Methionine Produces a Potent Antagonist*," J. 2603 (1996).		Proudfoot et al., "Extension of Recombinant Human RANTES by the Retention of the Initiating Methionine Produces a Potent Antagonist*," J. Biol. Chem., 271:2599-2603 (1996).				
		C210	Punt, J. A. et al., "T Cell Receptor (TCR) Induced Death of Immature CD4+CD8+ Thymocytes by Two Distinct Mechanisms Differing in Their Requirements for CD28 Co-stimulation: Implications for Negative Selection in the Thymus," J. Exp. Med. 186: 1911-22 (1997).			
		C211	Rabinovichi et al., "Platelet Activating Factor Mediates Interleukin-2-induced Lung Injury in the Rat," J. Clin. Invest., 89:1669-1673 (1992).			
		C212	Rabinovichi et al., "ARDS-like lung injury produced by endotoxin in platelet-activating factor-primed rats," J. Appl. Physiol., 74(4):1791-1802 (1993).			
	C213		Rader, C. et al., "Phage display of combinatorial antibody libraries," Current Opinion Biotechnology, 8:503-508 (1997).			
Closely Related to G		C214	Raport et al., "The Orphan G-Protein-Coupled Receptor-Encoding Gene V28 is Closely Related to Genes for Chemokine Receptors and is Expressed in Lymphoid and Neural Tissues," Gene, 163:295-299 (1995).			
Human CC Chemokine Receptor (CCR5) for RANTES, MIP-1β, and MIP-		Raport, C.J., et al., "Molecular Cloning and Functional Characterization of a Novel Human CC Chemokine Receptor (CCR5) for RANTES, MIP-1β, and MIP-1α," J. Biological Chemistry, 271 (29):17161-17166 (19 July 1996).				
		C216	Reeves, J.D. et al., "CD4-Independent Infection by HIV-2 (ROD/B): Use of the 7-Transmembrane Receptors CXCR-4, CCR-3 and V28 for Entry," Virology, 231:130-134 (1997).			
		C217	Ribeiro et al., "Partial Characterization of the RNA From LPS-stimulated Macrophages That Induces the Release of Chemotactic Cytokines by Resident Macrophages," Mol. Cell. Biochem., 148(2):105-113 (1995).			
		C218	Riechmann et al., "Reshaping Human Antibodies for Therapy," Nature, 332:323-327 (1988).			

EXAMINER 1 weekly	DATE CONSIDERED (8 20)			
*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.				

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. Serial No. 27866/34810 09/509,165		
INFORMATION DISCLOSURE	CT A TEMENT	Applicant Gray, P.W. et al.		
INFORMATION DISCLOSURE (Use several sheets if necessar	Filing Date June 12, 2000	Group 1648		

5	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)				
	BU) (Li	C219	Robey, E. and Fowlkes, B. J., "Selective Events in T cell development," Ann. Rev. Immunol. 12:675-705 (1994).	
	. [0	C220	Rodriguez-Roisin et al., "Platelet-activating Factor Causes Ventilation-Perfusion Mismatch in Humans," J. Clin. Invest., 93:188-194 (1994).	
			C221	Roederer et al., "HIV Does Not Replicate in Naive CD4T Cells Stimulated with CD3/CD28," J. Clin. Invest., 99(7):1555-1564 (1997).	
			C222	Romagnani et al., "An Alternative View of the Th1/Th2 Switch Hypothesis in HIV Infection", AIDS Res. Hum. Retroviruses, 10: iii-ix (1994).	
			C223	Romagnani, P., et al., "High CD30 Ligand Expression by Epithelial Cells and Hassal's Corpuscles in the Medulla of Human Thymus," Blood, 91: 3323-32 (1998).	
C224 Rook et al., "Gulf War syndrome: is it due to a syste towards a Th2 profile?," Lancet, 349(9068):1831-18		C224	Rook et al., "Gulf War syndrome: is it due to a systemic shift in cytokine balance towards a Th2 profile?," Lancet, 349(9068):1831-1833 (1997).		
Chemokine I-309," The Journal of Biological Chemistry, 272(28):172		Roos, R.S. et al., "Identification of CCR8, the Receptor for the Human CC Chemokine I-309," The Journal of Biological Chemistry, 272(28):17251-17254 (1997).			
with Preferential Activation of Type 1 T Help		C226	Ryan et al., "Bordetella pertussis Respiratory Infection in Children Is Associated with Preferential Activation of Type 1 T Helper Cells," J. Infect. Dis., 175(5):1246-1250 (1997).		
			C227	Sallusto, F. et al. "Selective Expression of the Eotaxin Receptor CCR3 by Human T Helper 2 Cells," Science 277: 2005 (1997).	
	·		C228	Sambrook et al., Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory, Cold Spring Harbor, New York, pp. 1.74-1.84, 1.90-1.104, 6.1-6.35, and Chapter 15 (1989).	
	•		C229	Samson, M. et al., "Molecular Cloning and Chromosomal Mapping of a Novel Human Gene, ChemR1, Expressed in T Lymphocytes and Polymorphonuclear Cells and Encoding a Putative Chemokine Receptor," Eur. J. Immunol., 26:3021-3028 (1996).	

EXAMINER	Burgush.	DATE CONSIDERED OF 18 12013
		ion is in conformance with MPEP 609; Draw line through

INFORMATION DISCLOSURE STATEMENT

(Use several sheets if necessary)

U.S. Department of Commerce Patent and Trademark Office

U.S. Department of Commerce Patent and Trademark Office

Atty. Docket No. 27866/34810

Applicant

Gray, P.W. et al.

Filing Date
June 12, 2000

Group

1648

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)				
BU	L'	C230	Samson et al., "Molecular Cloning and Functional Expression of a New Human CC-Chemokine Receptor Gene," <i>Biochemistry</i> , 35:3362-3367 (1996).		
		C231	Sarris et al., "Human Interferon-inducible Protein 10: Expression and Purification of Recombinant Protein Demonstrate Inhibition of Early Human Hematopoietic Progenitors," J. Exp. Med., 178:1127-1132 (September, 1993).		
		C232	Satoh et al., "Platelet-Activating Factor Acetylhydrolase in Plasma Lipoproteins From Patients With Ischemic Stroke," Stroke, 23:1090-1092 (1992).		
		C233	Schall et al., "A Human T Cell Specific Molecules a Member of a New Gene Family," J. Immunology, 141(3):1018-1025 (August 1, 1988).		
· ·		C234	Schall, T. J. et al., "Chemokines, Leukocyte Trafficking, and Inflammation," Current Opinion in Immunology, 6:865-873 (1994).		
		C235	Simmons G. et al., "Potent Inhibition of HIV-1 Infectivity in Macrophages and Lymphocytes by a Novel CCR5 Antagonist," Science, 276(5310): 276-279 (11 April 1997).		
		C236	Smith, M.W. et al., "Contrasting Genetic Influence of CCR2 and CCR5 Variants on HIV-1 Infection and Disease Progression," Science, 277:959-965 (15 August 1997).		
Cells to a Defined Set of CC and CXC Chemokines," J. Immunol. 159: 199		Sozzani, S. et al., "Receptor Expression and Responsiveness of Human Dendritic Cells to a Defined Set of CC and CXC Chemokines," J. Immunol. 159: 1993 (1997).			
		C238	Sprent, J. et al., "T Cell Selection in the Thymus," Immunol. Rev. 101: 173-90 (1988).		
		C239	Springer, "Traffic Signals for Lymphocyte Recirculation and Leukocyte Emigration: The Multistep Paradigm," <i>Cell, 76</i> :301-314 (January 28, 1994).		
		C240	Spruance et al., "Th1/Th2-like Immunity and Resistance to Herpes Simplex Labialis," Antiviral Res., 28(1):39-55 (1995).		
V		C241	Stafforini et al., "Human Macrophages Secrete Platelet-activating Factor Acetylhydrolase," J. Biol. Chem., 265(17):9682-9687 (June 15, 1990).		

EXAMINER Subjumb	DATE CONSIDERED 08/08/2003
*EXAMINER: Initial if reference considered, whether or not citation if not in conformance and not considered. Include co	citation is in conformance with MPEP 609; Draw line through

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 27866/34810	Serial No. 09/509,165	
INFORMATION DISCLOS	IDE STATEMENT	Applicant Gray, P.W. et al.		
(line several sheets if		Filing Date June 12, 2000	Group 1648	

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)				
360	C242	Stanciu et al., "Increased Levels of IL-4 in CD8+ T Cells in Atopic Asthma," J. Allergy Clin. Immunol., 100(3):373-378 (1997).		
	C243	Staton, G.W. Jr. et al., "II ASTHMA," 14 Resp. Scientific American, Inc., pp.1-20 (March 1997).		
	C244	Steinman, R.M., "The Dendritic Cell System and Its Role In Immunogenicity ¹ ," Annu. Rev. Immunol., 9:271-296 (1991).		
	C245	Stellato et al., "Production of the Novel C-C Chemokine MCP-4 By Airway Cells and Comparison of Its Biological Activity to Other C-C Chemokines," J. Clin. Invest., 99: 926 (1997).		
	C246	Stenberg et al., "Structural Analysis of the Major Immediate Early Gene of Human Cytomegalovirus," J. Virology, 49(1):190-199 (January, 1984).		
	C247	Surh, C. D. and Sprent, J., "T-cell Apoptosis Detected in Situ During Positive and Negative Selection in the Thymus," Naute 372: 100-103 (1994).		
	C248	Swanborg et al., "Experimental Autoimmune Encephalomyelitis in Rodents as a Model for Human Demyelinating Disease," Clin. Immunol. Pathol. 77(1):4-13 (1995).		
	C249	Szabo et al., "Chemokine Class Differences in Binding to the Duffy Antigen- Erythrocyte Chemokine Receptor," J. Biol. Chem., 270(43):25348-25351 (1995).		
	C250	Tanaka, Y., et al., "T-cell Adhesion Induced by Proteoglycan-immobilized cytokine MIP-1 beta," <i>Nature 361:</i> 79-82 (1993).		
	C251	Tang, L. H. and Cyster, J. G., "Chemokine Up-Regulation and Activated T Cell Attraction by Maturing Dendritic Cells," <i>Science</i> , 284: 819-22 (1999).		
	C252	Taub et al., "Chemokines, Inflammation, and the Immune System," Therapeutic Immunology, 1:229-246 (1994).		
V	C253	Taylor, M.L. et al., "Monocyte-derived Chemokine (MDC) Induces Human Eosinophil (EOS) Chemotaxis (CTX) and Shape Change in a CCR3-independent Manner," (Bruce Brodnur's Abstract) AAAA1 (November 1998) (ABSTRACT).		

EXAMINER Unoqual	DATE CONSIDERED () JON 3
*EXAMINER: Initial if reference considered, whether or not c citation if not in conformance and not considered. Include cop	itation is in conformance with MPEP 609; Draw line through by of this form with next communication to applicant.

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 27866/34810	Serial No. 09/509,165
INFORMATION DISCLOSURE STATEMENT		Applicant Gray, P.W. et al.	
(Use several sheets if necessar		Filing Date June 12, 2000	Group 1648

	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)				
P					
	BUC' C254		Tempest et al., "Reshaping A Human Monoclonal Antibody To Inhibit Human Respiratory Syncytial Virus Infection In Vivo, Bio/Technology, 9:266-271 (1991).		
	C255		Tiffany, H.L. et al., "Identification of CCR8: A Human Monocyte and Thymus Receptor for the CC Chemokine I-309," <i>Journal of Experimental Medicine</i> , 186(1):165-170 (7 July 1997).		
		C256	Tjoelker et al., "Anti-inflammatory Properties of a Platelet Activating Factor Acetylhydrolase," <i>Nature</i> , 374:549-553 (April 6, 1995).		
		C257	Tomioka, K., et al., "GM-CSF Regulates Human Eosinophil Responses to F-Met Peptide and Platelet Activating Factor," J. Immunol. 151: 4989 (1993).		
		Tuschil et al., "Interleukin-8 Stimulates Calcium Transients and Promotes Epidermal Cell Proliferation," J. Invest. Dermatol., 99:294-298 (1992).			
Antigen Mannose Receptor and Develop in Peripheral Blood Cultures of		Uccini, S., et al., "Kaposi's Sarcoma Cells Express the Macrophage Associated Antigen Mannose Receptor and Develop in Peripheral Blood Cultures of Kaposi's Sarcoma Patients," Am. J. Pathol. 150: 929-38 (1997).			
C260 Uguccioni, M. et al., "Monocyte Chemotactic Protein 4 (MCP-4), a Novel Structural and Functional Analogue of MCP-3 and Eotaxin," J. Exp. Med. 183:		Uguccioni, M. et al., "Monocyte Chemotactic Protein 4 (MCP-4), a Novel Structural and Functional Analogue of MCP-3 and Eotaxin," J. Exp. Med. 183: 2379 (1996).			
		C261 Uguccioni, M. et al., "High Expression of the Chemokine Receptor CCR3 in Human Blood Basophils-Role in Activation by Eotaxin, MCP-4, and other Chemokines," J. Clin. Invest. 100: 1137 (1997).			
		C262	Umetsu, D.T. et al., "Th1 and Th2 CD4+ Cells in the Pathogenesis of Allergic Diseases," Proc. Soc. Exp. Biol. Med., 215:11-20 (1997).		
	V	C263	Van Damme et al., "Structural and Functional Identification of Two Human, Tumor-derived Monocyte Chemotactic Proteins (MCP-2 and MCP-3) Belonging to the Chemokine Family," J. Exp. Med., 176:59-65 (July, 1992).		

EXAMINER

DATE CONSIDERED 18 (8)

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	S. Department of Commerce Atty. Docket No. Seria 27866/34810 Seria	
INFORMATION DISCLOSURE STATEMENT		Applicant Gray, P.W. et al.	
		Filing Date June 12, 2000	Group 1648

F					
	OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)				
	BOC: C264		C264	Van Kimmenade <i>et al.</i> , "Expression, Renaturation and Purification of Recombinant Human Interleukin 4 From <i>Escherichia Coli</i> ," <i>Eur. J. Biochem.</i> , 173:109-114 (1988).	
			C265	Van Roon et al., "Decrease in Peripheral Type 1 Over Type 2 T Cell Cytokine Production in Patients With Rheumatoid Arthritis Correlates With an Increase in Severity of Disease," Ann. Rheum. Dis., 56(11):656-660 (1997).	
		:	C266	Van Snick, J., et al., "I-309/T Cell Activation Gene-3 Chemokine Protects Murine T cell Lymphomas Against Dexamethason Inuded Apoptosis," J. Immunol. 157: 25750-76 (1996).	
			C267	Verhoeyen, M. et al., "Reshaping Human Antibodies: Grafting an Antilysozyme Activity," Science, 239:1534-1536 (1988).	
C268 Vicari, A. P., "TECK: a Novel CC Chemokine Specifically Expressed by Thy Dendritic Cells and Potentially Involved in T cell Development," Immunity, 7: 301 (1997).		Vicari, A. P., "TECK: a Novel CC Chemokine Specifically Expressed by Thymic Dendritic Cells and Potentially Involved in T cell Development," Immunity, 7: 291-301 (1997).			
		von Boehmer, H., "T-cell development: Is Notch a key player in lineage decisions?" Current Biology, 7:R308-R310 (1997).			
	C270 Watanabe et al., "Pharmacological Analysis of Neutrophil Chemotactic Factor Production by Leucocytes and Roles of PAF in Allergic Inflammation in Rats," Br.		Watanabe et al., "Pharmacological Analysis of Neutrophil Chemotactic Factor Production by Leucocytes and Roles of PAF in Allergic Inflammation in Rats," Br. J. Pharmacol., 111:123-130 (1994).		
			C271	Weber et al., "Monocyte Chemotactic Protein MCP-2 Activates Human Basophil and Eosinophil Leukocytes Similar to MCP-3," J. Immunology, 154:4166-4172 (1995).	
			C272	Weissman, D. et al., "Macrophage Tropic HIV and SIV Envelope Proteins Induce a Signal Through the CCR5 Chemokine Receptor," Nature, 389:981-985 (1997).	
	1	J 22, 27	C273	Wells et al., "Selectivity and Antagonism of Chemokine Receptors," J. Leukocyte Biology, 59:53-60 (January, 1996).	

EXAMINER DOGUM

DATE CONSIDERED of 1 17003

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Ally. Dockel No. 27866/34810	Serial No. 09/509,165
INFORMATION DISCLOSURE STATEMENT		Applicant Gray, P.W. et al.	
		Filing Date June 12, 2000	Group 1648

OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)			
JUE 1 C274		C274	White et al., "Cloning and Functional Characterization of a Novel Human CC Chemokine that Binds to the CCR3 Receptor and Activates Human Eosinophils," J. Leukoc. Biol. 62: 667 (1997).
		C275	Wilson et al., "Expression and Characterization of TCA3: A Murine Inflammatory Protein," J. Immunology, 145(8):2745-2750 (October 15, 1990).
	,	C276	Windhagen et al., "Role of Th1 and Th2 Cells in Neurologic Disorders," Chem. Immunol., 63:171-186 (1996).
		C277	Winkler, C. et al., "Genetic Restriction of AIDS Pathogenesis by an SDF-1 Chemokine Gene Variant," Science, 279:389-393 (16 January 1998).
		C278	Winter, G. et al., "Antibody-based Therapy: Humanized antibodies," TiPS, 14:139-143 (May 1993).
C279		C279	Wofsy, D. and Seaman, W.E., "Reversal of Advanced Murine Lupus in NZB/NZW F1 Mice By Treatment With Monoclonal Antibody to L3T4," <i>J. Immunol</i> . 138(10):3247-53 (1987).
	·	C280	Wolowczuk et al., "Interleukin-7 in the Skin of Schistosoma mansoni-infected Mice is Associated With a Decrease in Interferon-γ Production and Leads to an Aggravation of the Disease," Immunol., 91(1):35-44 (1997).
		C281	Woods et al., "Loss of Inducible Virus in CD45RA Naive Cells After Human Immunodeficiency Virus-1 Entry Accounts for Preferential Viral Replication in CD45RO Memory Cells," Blood, 89:1635-1641 (1997).
		C282	Wu et al., "CCR5 Levels and Expression Pattern Correlate with Infectability by Macrophage-tropic HIV-1, In Vitro," J. Exp. Med., 185(9):1681-1691 (1997).
		C283	Yamashita et al., "Increased Levels of Blood Platelet-activating Factor in Bronchial Asthmatic Patients with Active Symptoms," Allergy, 49:60-63 (1994).
		C284	Yeh et al., "Design of Yeast-secreted Albumin Derivatives for Human Therapy: Biological and Antiviral Properties of a Serum Albumin-CD4 Genetic Conjugate," Proc. Natl. Acad. Sci., USA, 89(5):1904-1908 (1992).

	
EXAMINER	Brogunhi.

DATE CONSIDERED

offellowy

Form PTO-1449 (Modified)	U.S. Department of Commerce Patent and Trademark Office	Atty. Docket No. 27866/34810	Serial No. 09/509,165
INFORMATION DISCLOSURE STATEMENT		Applicant Gray, P.W. et al.	
INFURIMATION DISCLOSUR		Filing Date June 12, 2000	Group 1648

ſ			OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, etc.)
Yoshida, T. et al., "Molecular Cloning of N novel C or γ Type Chemokine, SCM 1," FEBS Letters, 360:155-159 (1995).		Yoshida, T. et al., "Molecular Cloning of N novel C or γ Type Chemokine, SCM-1," FEBS Letters, 360:155-159 (1995).	
			Yoshimura et al., "Production and Characterization of Mouse Monoclonal Antibodies Against Human Monocyte Chemoattractant Protein-1," J. Immunol., 147(7):2229-2233 (October, 1991).
		C287	Yoshimura, T., "cDNA Cloning of Guinea Pig Monocyte Chemoattractant Protein-1 and Expression of the Recombinant Protein," <i>J. Immunol.</i> , 150(11):5025-5032 (June 1, 1993).
	V	C288	Zarco <i>et al.</i> , "Involvement of Platelet-activating Factor and Tumour Necrosis Factor in the Pathogenesis of Joint Inflammation in Rabbits," <i>Clin. Exp. Immunol.</i> , 88:318-323 (1992).

EXAMINER

Durgunt

DATE CONSIDERED

08/10/2